



NATURAL TOUCH
2016

3 IN 1

- Kaindl 3 in 1**
- » World innovation in laminate flooring
 - » 3 widths, 1 plank format,
 - » Natural wood touch surface
 - » Beveled edge, antique look
 - » Multiple installation options
 - » Low maintenance and easy to clean
 - » Greengard certified

AC 4
32/23


8.0



Standard Plank: 1386 x 193 mm



3IN1



K4360 FARCO URBAN




K4361 FARCO TREND



K4362 FARCO ELEGANCE



Each box of **KAINDL 3IN1** contains, standard planks and 3 strip planks. See method of laying.



SAWLFA
SOUTHERN AFRICAN WOOD & LAMINATE
FLOORING ASSOCIATION



Distributed by

CARPET BROKERS (PTY) LTD.

www.carpetbrokers.co.za

This is a representation only. The printed samples may differ from the actual product. Please view actual product before choosing a final product.



3IN1
≡



K4360 FARCO URBAN



SAWLFA
SOUTHERN AFRICAN WOOD & LAMINATE
FLOORING ASSOCIATION

Distributed by
CARPET BROKERS (PTY) LTD.

This is a representation only. The printed samples may differ from the actual product. Please view actual product before choosing a final product.



3IN1
|||



K4361 FARCO TREND



SAWLFA
SOUTHERN AFRICAN WOOD & LAMINATE
FLOORING ASSOCIATION

Distributed by
CARPET BROKERS (PTY) LTD.

This is a representation only. The printed samples may differ from the actual product. Please view actual product before choosing a final product.



3IN1
|||



K4362 FARCO ELEGANCE



SAWLFA
SOUTHERN AFRICAN WOOD & LAMINATE
FLOORING ASSOCIATION

Distributed by
CARPET BROKERS (PTY) LTD.

This is a representation only. The printed samples may differ from the actual product. Please view actual product before choosing a final product.



3IN1

Plank Size: 1380 X 193 X 8mm
 Surface per pack: 2.40m²
 Panels per pack: 9 pcs
 Weight per pack: 16,0kg

Service category / UC	
Abrasion Resistance	AC4
Impact resistance	Ic2
Formaldehyde emission of the substrate before coating	E1
Thickness Swelling	< 18 %, HDF Low swelling
Thermal conductivity	0,0780m2.K/W
Resistance to cigarette burns	grade 4
Light fastness	not worse than 6 Blue wool scale not worse than 4 Grey scale
Resistance to stains	groups 1-2 grade 5 groups 3 grade 4
Combustibility	Bfl , s1
Sliding friction	≥ 0.3
Guarantee	30 year conditional KAINDL GUARANTEE



SAWLFA
 SOUTHERN AFRICAN WOOD & LAMINATE
 FLOORING ASSOCIATION

Distributed by
CARPET BROKERS (PTY) LTD.
www.carpetbrokers.co.za

This is a representation only. The printed samples may differ from the actual product. Please view actual product before choosing a final product.